## **Hi-Speed Burnishable Floor Finish**

#### F-110A

# Safety Data Sheet

Issued Date: November 2, 2015 Revision Date: November 2, 2015 Version 1

## 1. IDENTIFICATION

**Product Identifier** 

Product Name F-110A Hi-Speed Burnishable Floor Finish

Other means of identification

Product Code F-110A

Recommended use of the chemical and restrictions on use

Recommended Use Acrylic Hi-Speed Burnishable Floor Finish for Institutional and Industrial

use. Recommended with burnishing machine.

Details of the supplier of the safety data sheet

Missouri Vocational Enterprises

2727 Highway K Bonne Terre, MO 63628 Phone: (573) 358-5516

**Emergency Telephone Number** 

INFOTRAC 1-800-535-5053 (North America)

1-352-323-3500 (International)

## 2. HAZARDOUS IDENTIFICATION

#### Signal Word DANGER

Classification	Hazard Category		
Skin - Corrosion/Irritation	1B		
Serious Eve Damage/Irritation	1		

#### Health Hazard Statement(s)

H314 – Causes sever skin burns and eye damage.

H317 – May cause an allergic skin reaction.

H318 – Causes serious eye damage.

H412 – Harmful to aquatic life with long-lasting effects.

#### Hazard Pictogram(s)

## **Hazard Ratings**

Revision Date: November 2, 2015





	HMIS	NFPA
Health	1	1
Flammability	0	0
Reactivity	1	1
PPE	В	N/A

## Precautionary Statement(s)

P210 – Keep away from heat/sparks/open flames/hot surfaces. –No smoking.

P233 - Keep container tightly closed.

P261 – Avoid breathing dust/fume/gas/mist/vapor/spray.

P264 – Wash face, hands and any exposed skin thoroughly after handling.

P272 – Contaminated work clothing should not be allowed out of the workplace.

P273 – Avoid release to the environment.

P280 – Wear protective gloves/protective clothing/ eye protection/face protection.

P301+P330+P331 – IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

P303+P361+P353 – IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with

## **Hi-Speed Burnishable Floor Finish**

F-110A

Revision Date: November 2, 2015 water/shower.

P363 – Wash contaminated clothing before reuse.

P304+P340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P312 – Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 – Immediately call a POISON CENTER or doctor/physician.

P403+P235 – Store in a well-ventilated place. Keep cool.

P405 – Store locked up.

P501 – Dispose of contents/container to an approved waste disposal site.

#### **Potential Health Effects**

Skin Contact May cause skin corrosion/irritation/burns.

May cause eye damage. Eye Contact

Inhalation May cause respiratory irritation. Ingestion May be harmful if swallowed.

# 3. COMPOSITION/INFORMATION ON INGREDIENT

Chemical Name/Pure Substance	CAS#	Weight-%	
Duraplus 2	Proprietary	50-55	
Water	7732-18-5	25-30	
Michem Emulsion 37135	Proprietary	5-10	
Eastman DE Solvent	111-90-0	5-10	
Dipropylene Glycol	25265-71-8	0-2	
Tributoxyethyl Phosphate	78-51-3	0-2	
E-cryl 802	Proprietary	0-2	
Eastman Texanol Ester Alcohol	25265-77-4	0-2	

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. FIRST-AID MEASURES

If you feel unwell, seek medical advice (show label where possible). General Advice

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy **Eye Contact** 

to do. Continue rinsing. Get medical advice/attention.

Skin Contact Wash off immediately with plenty of water. Take off contaminated clothing. Wash

contaminated clothing before reuse. If skin irritation persists, call a physician.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

POISON CENTER or doctor/physician if you feel unwell.

Ingestion Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you

feel unwell.

#### Most important symptoms and effects

Prolonged contact may cause painful stinging or burning of eyes and lids, watering of eye, **Symptoms** 

and irritation. Prolonged contact may even cause severe skin irritation or mild burn.

## 5. FIRE-FIGHTING MEASURES

## **Extinguishing Media**

Suitable Extinguishing Media: Dry powder, water spray, foam

Unsuitable Extinguishing Media: Do not use water jet, as this will spread the fire.

Components of this product may decompose upon heating to produce corrosive and/or toxic fumes. May form peroxides of unknown stability.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Move containers from fire area if you can do so without risk.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Keep unnecessary personnel away. Do not get in eyes, on skin, or on

clothing. Do not eat, drink, or smoke in areas where this material is used. Wash thoroughly after handling. Wet material may pose a slipping hazard.

**Revision Date: November 2, 2015** 

Ensure adequate ventilation, especially in confined areas.

**Environmental precautions** Do not flush into surface water or sanitary sewer system. See Section 12

for additional ecological information. Avoid release to the environment.

#### Methods and material for containment and clean up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean up Contain spillage, and then collect with non-combustible absorbent material

(sand, earth, vermiculite), and place in a container for disposal according to

local/national regulations.

## 7. HANDLING AND STORAGE

## Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Use only in well ventilated areas. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin thoroughly after handling. Use personal protection recommended in Section 8.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store in original

container. Store containers on pallets. Keep away from food, drink, and animal feed.

Store locked up. Keep from freezing.

**Incompatible Materials** Keep away from heat, sparks, and open flames. See section 10 of this SDS.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
-	-	-	-	

### Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear approved safety goggles.

Skin and Body Protection Wear appropriate clothing to prevent repeated or prolonged skin contact.

Respiratory Protection Ensure adequate ventilation, especially in confined areas.

Do not eat, drink, or smoke when using this product. Wash contaminated

General Hygiene Considerations clothing before reuse. Handle in accordance with good industrial hygiene

and safety practice.

## Revision Date: November 2, 2015

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** 

Physical StateLiquidOdorSlight AmmoniaColorMilky WhiteOdor ThresholdNot Determined

<u>Property</u> <u>Values</u> <u>Remarks - Method</u>

**pH** 8-9

Melting Point/Freezing Point Not determined Boiling Point/Boiling Range Not determined Flash Point Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) Liquid- Not Applicable **Upper Flammability Limits** Not determined **Lower Flammability Limits** Not determined Vapor Pressure Not determined Vapor Density Not determined

Specific Gravity 1.03
Water Solubility Complete

Solubility in other solvents
Partition Coefficient
Auto-ignition Temperature
Decomposition Temperature
Viscosity
Not determined

## 10. STABILITY AND REACTIVITY

**Reactivity** Not reactive under normal conditions.

**Chemical Stability** Stable under recommended storage conditions.

**Conditions to Avoid** Exposure to sunlight. Heat, sparks, flames. **Incompatible materials** Amines, oxidizing agents, reducing agents.

**Hazardous Decomposition** 

**Products** 

Nitrogen oxides, carbon oxides, sulfur oxides, hydrogen chloride gas

**Hazardous Polymerization** Will not occur.

## 11. TOXICOLOGICAL INFORMATION

## **Mixture Toxicity**

Toxicological data have not been determined specifically for this product.

## 12. ECOLOGICAL INFORMATION

#### **Ectotoxicity**

Ecological studies have not been carried out on this product.

# 13. DISPOSAL CONSIDERATIONS

Disposal Instructions

Dispose of in accordance with applicable local, regional, national, and

international regulations.

Hazardous Waste Code Not available.

Hi-Speed Burnishable Floor Finish F-110A Revision Date: November 2, 2015

Waste from residues / unused

products

Use or reuse if possible.

Contaminated Packaging

Dispose of as unused product. Dispose of container in accordance with

applicable local, regional, national, and/or international regulations.

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information,

including exemptions and special circumstances.

DOT I.D. Number Not available.

DOT Proper Shipping Name Not available.

**DOT Hazard Classes:** 

US DOT Not available.
Road (ADR) Not available.
Air (ICAO/IMDG) Not available.
Sea (IMO/IMDG) Not available.

Packing GroupNot available.DOT LabelNot available.

## 15. REGULATORY INFORMATION

#### **U.S. Federal Regulations**

Contents of this SDS comply with OSHA Hazard Communication Standard CFR 1910.1200.

# OSHA Hazard Communication Standard (29 CFR 1910.1200)

(X) Hazardous () Non- Hazardous

**SARA TITLE III** 

Section 302/304 Extremely Hazardous Substances: None. Section 311/312 (40CFR370) Hazardous Categories: Acute.

Section 313 Contains the following SARA 313 Toxic Release Chemicals: Diethylene Glycol Monoethyl Ether, Zinc Ammonia Carbonate Complex, and Ammonia.

**CERCLA** 

**CERCLA Regulatory** Methanol (67-56-1) and Formaldehyde (50-00-0).

State Regulations California Prop 65

This product may contain the following ingredient(s) known to the state of California to cause cancer, birth defects or other reproductive harm: Methanol (67-56-1) and Formaldehyde (50-00-0).

**Revision Date: November 2, 2015** 

Component	TSCA (United States)	DSL (Canada)	EINECS/ELINCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Diethylene Glycol Monoethyl Ether (111-90-0)	X	Х		X	Х	х	Х	Х
Texanol (25265-77- 4)	Х	Х		Х	Х	Х	Х	Х
Dipropylene Glycol (25265-71-8	Х	х	×	Х	Х	Х	х	Х

# 16. OTHER INFORMATION

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Issue Date:** November 2, 2015 **Revision Date:** November 2, 2015

Revision Number: 1

Prepared By: Ryan AuBuchon, Chemist I